

## Trichloroethylene

Product Specification - Version 1 dated January 1, 2016

Characteristic	Specification	Test Method
Water, wt. %	0.010 max.	K-F Titration
Color, APHA (Pt-Co)	20 max.	ASTM D1209
Appearance	Clear, free from suspended matter	Visual
Specific Gravity, 20/20°C	1.450 - 1.470	ASTM D369
Acid acceptance (as NaOH), wt. %	0.14 min.	Titration
Acidity (as HCl), wt. %	0.001 max.	Titration
Distillation Range @760mm, °C IBP DP	86.0 min. 87.9 max.	ASTM D1078
Notes: None		

[www.SolventsandPetroleum.com](http://www.SolventsandPetroleum.com)

The preceding data is based on tests and experience, which Solvents and Petroleum Service, Inc. believes reliable, and is supplied for informational purposes only. Solvents and Petroleum Service, Inc. expressly disclaims any liability whatsoever for damage or injury which results from the use of the preceding data and nothing contained herein shall constitute a guarantee, warranty, or representation (including freedom from patent liability) by Solvents and Petroleum Service, Inc. with respect to the data, the product described, or its fitness for use for any specific purpose, even if that purpose is known to Solvents and Petroleum Service, Inc.

For detailed safety and handling information regarding these products, please refer to the respective Solvents and Petroleum Service, Inc. Safety Data Sheets (SDS).