Diethylene Glycol



Industrial Grade CAS No. 111-46-6

SPS provides high quality Industrial Grade DEG for a wide range of industrial applications at a competitive price.

Product Description

Diethylene glycol is a colorless, odorless, hygroscopic and slightly viscous, organic compound. Its complete miscibility with water and many other organic solvents make its use important in a wide range of industrial applications. Industrial Grade DEG is used primarily as a drying agent for natural gas and as a plasticizing and lubricating agent.

Value-Added Benefits

- Guaranteed to Meet/Exceed ASTM Standards
- Competitive Pricing
- Custom Quantity & Delivery Options
- Used Glycol-Waste Pickup

General Applications

Adhesives • Coatings • Emulsifiers • Lubricants • Plasticizers • Polyurethane Foams Solvents
Silicone compounds
Thermoplastics
Unsaturated Polyester Resins

Specific Applications

- Freezing Point Depressor
- Deicing fluids
- Automotive Antifreeze/Coolants
- Heat transfer fluids
- Drywall joint compound

Hygroscopic

- Gas dehydration/drying
- Plasticizer for paper, glues, adhesives, coatings

Solvent / Solvent Coupler

- Printing ink/paint, dyes/pigments
- Stabilizer for soluble oil dispersions
- Compatibilizer for dye and printing ink components

Chemical Intermediate

- Unsaturated polyester resins
- Plasticizers

Call 1-800-315-4467 for a competitive quote. Samples and Certificate of Analysis available upon request.



SOLVENTS & PETROLEUM 1405 Brewerton Road Syracuse, NY 13208

Phone: 315-454-4467 | Fax: 315-454-8230