

Stoddard Solvent

Product Specification - Version 1 dated Sept. 17, 2008

C.A.S. 8052-41-3

- Category:** NAPHTHA
- Generic Name:** Regular Mineral Spirits (RMS), Stoddard Solvent
- Description:** 105°F Minimum Flash Point Mineral Spirits
- Applications:** Parts Cleaner, Paint Thinner, Charcoal Starter, Used in Hand Cleaners, Asphalt Cutbacks, Industrial Cleaners - Broad Range of Uses
- Regulatory:** Vapor pressure meets the requirements of Pennsylvania Code 025 Section 129.63(a)4 for use as a solvent in degreasing operations in cold cleaning machines. Vapor pressure also meets the requirements of New York Codes, Rules, and Regulations 6 NYCRR Part 226.3(a)4 for use as a solvent in metal cleaning processes.

Property Description	Typical Value	Specification		ASTM Method
		Min	Max	
lb/gal	6.43	6.40	6.47	-
Gravity, API	51.4	50.4	52.3	D1298A
Flash Point, °F (TCC)	-	105	-	D56
Aniline Point, °C	65	-	-	D611
Kauri Butanol Value	33	-	-	D1133
Pour Point, °C	-60	-	-	D5949
Sulfur, ppm	5	-	50	D2622
Color, Saybolt	+30	-	-	D156
Distillation, °F				
IBP	310	-	-	D86
5%	322	310	-	
50%	341	-	-	
95%	375	-	390	
EBP	393	-	410	
Vapor Pressure, mmHg @ 68°F	0.62	-	-	D2879
Flourescent Indicator Analysis				
Aromatics, vol. %	10.5	-	-	D1319
Olefins, vol. %	0.4	-	-	
Saturates, vol. %	89.1	-	-	
Odor	Mild Petroleum Solvent			Olfactory

The preceding data is based on tests and experience, which Solvents and Petroleum Service, Inc. believes reliable, and is supplied for informational purposes only. Solvents and Petroleum Service, Inc. expressly disclaims any liability whatsoever for damage or injury which results from the use of the preceding data and nothing contained herein shall constitute a guarantee, warranty, or representation (including freedom from patent liability) by Solvents and Petroleum Service, Inc. with respect to the data, the product described, or its fitness for use for any specific purpose, even if that purpose is known to Solvents and Petroleum Service, Inc.

For detailed safety and handling information regarding these products, please refer to the respective Solvents and Petroleum Service, Inc. Safety Data Sheets (SDS).