

## Safety Data Sheet Tertiary butyl acetate

#### **SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : Tertiary butyl acetate

Manufacturer or supplier's details

Company : Solvents and Petroleum Service, Inc Address 1405 Brewerton Rd Syracuse, NY 13208

 Telephone Number
 : 800-315-4467

 Fax Number
 : 315-454-8230

Emergency telephone number: CHEMTREC (1-800-424-9300)

#### **SECTION 2. HAZARDS IDENTIFICATION**

**GHS Classification** 

Flammable liquids : Category 2

Acute toxicity (Inhalation) : Category 4

Specific target organ toxicity

- single exposure

: Category 3 (Respiratory system)

**GHS Label element** 

Hazard pictograms





Signal word : Danger

Hazard statements : H225 Highly flammable liquid and vapor.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

Precautionary statements : **Prevention**:

P210 Keep away from heat/sparks/open flames/hot surfaces.

No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ ventilating/ lighting/ equip-

ment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge. P261 Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.

## **Tertiary butyl acetate**

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/ eye protection/ face protection.

Response:

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately

all contaminated clothing. Rinse skin with water/shower.

P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or

doctor/ physician if you feel unwell.

P370 + P378 In case of fire: Use dry sand, dry chemical or alco-

hol-resistant foam to extinguish.

Storage:

P403 + P233 Store in a well-ventilated place. Keep container

tightly closed.

P403 + P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste dis-

posal plant.

#### Other hazards

None known.

#### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance

Substance / Mixture : Substance

#### **Hazardous components**

CAS-No.	Chemical Name	Weight %
540-88-5	Tert-butyl acetate	90 - 100

Any Concentration shown as a range is due to batch variation.

#### **SECTION 4. FIRST AID MEASURES**

General advice : Move out of dangerous area.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

If inhaled : Consult a physician after significant exposure.

If unconscious place in recovery position and seek medical

advice.

In case of skin contact : If on skin, rinse well with water.

If on clothes, remove clothes.

In case of eye contact : Flush eyes with water as a precaution.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

## **Tertiary butyl acetate**

If swallowed : Keep respiratory tract clear.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

#### **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media : Alcohol-resistant foam

Carbon dioxide (CO2)

Dry chemical Water spray

Unsuitable extinguishing

media

: High volume water jet

Specific hazards during fire-

fighting

: Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion prod-

ucts

: No hazardous combustion products are known

Further information : Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

For safety reasons in case of fire, cans should be stored sepa-

rately in closed containments.

Use a water spray to cool fully closed containers.

Special protective equipment

for firefighters

: Wear self-contained breathing apparatus for firefighting if nec-

essary

Use personal protective equipment.

## **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emer-

gency procedures

: Use personal protective equipment.

Ensure adequate ventilation.
Remove all sources of ignition.
Evacuate personnel to safe areas.

Beware of vapors accumulating to form explosive concentra-

tions. Vapors can accumulate in low areas.

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up

: Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local

## **Tertiary butyl acetate**

/ national regulations (see section 13).

#### **SECTION 7. HANDLING AND STORAGE**

Advice on protection against

fire and explosion

 Do not spray on a naked flame or any incandescent material.
 Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Use only explosion-proof equipment. Keep away from open flames, hot

surfaces and sources of ignition.

Advice on safe handling : Avoid formation of aerosol.

Do not breathe vapors/dust.

Avoid exposure - obtain special instructions before use.

For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Take precautionary measures against static discharges.
Provide sufficient air exchange and/or exhaust in work rooms.
Container may be opened only under exhaust ventilation

hood.

Open drum carefully as content may be under pressure. Dispose of rinse water in accordance with local and national

regulations.

Conditions for safe storage :

No smoking.

Keep container tightly closed in a dry and well-ventilated

place.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage. Observe label precautions.

Electrical installations / working materials must comply with

the technological safety standards.

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

CAS-No.	Components	Value type	Control parame-	Basis
		(Form of	ters / Permissible	
		exposure)	concentration	
540-88-5	Tert-butyl acetate	TWA	200 ppm	ACGIH
		TWA	200 ppm	NIOSH REL
			950 mg/m3	
		TWA	200 ppm	OSHA Z-1
			950 mg/m3	
		TWA	200 ppm	OSHA P0
			950 mg/m3	

#### Personal protective equipment

Respiratory protection

General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are un-

## **Tertiary butyl acetate**

known, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

Hand protection

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water

Tightly fitting safety goggles

Skin and body protection : Impervious clothing

Choose body protection according to the amount and concen-

tration of the dangerous substance at the work place.

Hygiene measures : When using do not eat or drink.

When using do not smoke.

Wash hands before breaks and at the end of workday.

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : liquid

Color : Clear, Colorless

Odor : characteristic

Odor Threshold : 71 ppb

pH : 6 - 7 @ 20 - 25 °C (68 - 77 °F)

Freezing Point (Melting : -58.15 °C (-72.67 °F)

point/freezing point) (1013 hPa)

Boiling Point (Boiling : 97.8 °C (208.0 °F)

point/boiling range) (1013 hPa)

Flash point :  $4 \,^{\circ}\text{C} (39 \,^{\circ}\text{F})$ 

(1013.1 hPa)

Evaporation rate : 2.8

(Butyl Acetate = 1)

Flammability (solid, gas) : No data available

Upper explosion limit : Estimated 6.88 %(V)

## **Tertiary butyl acetate**

Lower explosion limit : Estimated 1.26 %(V)

Vapor pressure : 42 mmHg @ 20 °C (68 °F)

Relative vapor density : No data available

Relative density : No data available

Density : 0.86 g/cm3 @ 25 °C (77 °F)

Solubility(ies)

Water solubility : 7.82 g/l @ 23 °C (73 °F)

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

: log Pow: 1.64 @ 21.7 °C (71.1 °F)

Auto-ignition temperature : 589 °C 760 mmHg

Thermal decomposition : No data available

Viscosity

Viscosity, dynamic : < 1 mPa.s @ 25 °C (77 °F)

Viscosity, kinematic : < 1 mm2/s @ 20 - 25 °C (68 - 77 °F)

#### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reac-

tions

: No hazards to be specially mentioned.

Conditions to avoid : Keep away from heat, flame, sparks and other ignition

sources.

Incompatible materials : Plastics

Acids Bases nitrates

Strong oxidizing agents

Hazardous decomposition

products

: acetic acid Carbon oxides

## **Tertiary butyl acetate**

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

#### **Acute toxicity**

**Product:** 

Acute oral toxicity : Acute toxicity estimate: 4,110 mg/kg

Acute inhalation toxicity : Assessment: The component/mixture is moderately toxic after

short term inhalation.

Acute dermal toxicity : Acute toxicity estimate: 2,010 mg/kg

Components:

540-88-5:

Acute oral toxicity : LD50 (Rat, female): 4,100 mg/kg

Symptoms: ataxia, dyspnea

Acute inhalation toxicity : LC50 (Rat, male and female): > 2.23 mg/l

Exposure time: 4 h
Test atmosphere: vapor

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : LD50 (Rabbit, male and female): > 2,000 mg/kg

#### Skin corrosion/irritation

### **Components:**

540-88-5:

Species: Rabbit Exposure time: 4 h Result: No skin irritation

#### Serious eye damage/eye irritation

#### Components:

540-88-5:

Species: Rabbit

Result: No eye irritation

#### Respiratory or skin sensitisation

#### **Components:**

540-88-5:

Species: Guinea pig

Result: Did not cause sensitisation on laboratory animals.

#### Germ cell mutagenicity

#### Components:

540-88-5:

## **Tertiary butyl acetate**

Genotoxicity in vitro : Test Type: Ames test

Metabolic activation: with and without metabolic activation

Result: negative

: Test Type: Chromosome aberration test in vitro

Species: Human lymphocytes

Metabolic activation: with and without metabolic activation

Result: negative

Genotoxicity in vivo : Test Type: In vivo micronucleus test

Species: Rat (male and female)

Cell type: Bone marrow Application Route: Inhalation

Exposure time: 6 h

Dose: 0, 93, 451, 2044 ppm

Result: negative

Germ cell mutagenicity -

Assessment

: Did not show mutagenic effects in animal experiments.

#### Carcinogenicity

#### **Components:**

#### 540-88-5:

Species: Rat, (female) Application Route: Oral Exposure time: 103 weeks Dose: 0, 2.5, 5, 10 mg/l NOAEL: 10 mg/l

NOTICE: 10 mg/l

Result: did not display carcinogenic properties

Remarks: Information given is based on data obtained from similar substances.

Species: Mouse, (female) Application Route: Oral Exposure time: 103 weeks Dose: 0, 5, 10, 20 mg/l NOAEL: < 5 mg/l

Result: evidence of carcinogenic activity

Symptoms: Increased incidences of follicular adenoma of the thyroid gland Remarks: Information given is based on data obtained from similar substances.

Species: Rat, (male) Application Route: Oral Exposure time: 103 weeks Dose: 0, 1.25, 2.5, 5 mg/l NOAEL: < 1.25 mg/l

Result: evidence of carcinogenic activity

Symptoms: Renal tubule adenoma and carcinoma

Remarks: Information given is based on data obtained from similar substances.

Species: Mouse, (male)

## **Tertiary butyl acetate**

Application Route: Oral Exposure time: 103 weeks Dose: 0, 5, 10, 20 mg/l

NOAEL: 5 mg/l

Result: Ambiguous

Symptoms: increase incidence of hepatocellular carcinomas

Remarks: Information given is based on data obtained from similar substances.

Carcinogenicity - Assess-

ment

: Carcinogenicity classification not possible from current data.

IARC No component of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

OSHA No component of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential carcino-

gen by OSHA.

NTP No component of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

#### Reproductive toxicity

#### Components:

540-88-5:

Effects on fertility : Test Type: One generation study

Species: Rat, male and female Application Route: Inhalation Dose: 0, 100, 400, 1600 ppm

Frequency of Treatment: 7 days/week General Toxicity - Parent: NOAEC: 400 ppm General Toxicity F1: NOAEC: 1,600 ppm

Fertility: NOAEC: 1,600 ppm Result: No reproductive effects.

Effects on foetal develop-

ment

Species: Rat

Application Route: inhalation (vapor)

Dose: 0, 100, 400, 1600 ppm

Duration of Single Treatment: 120 d Frequency of Treatment: 7 days/week

General Toxicity Maternal: NOAEC: 1,600 ppm

Teratogenicity: NOAEC: 1,600 ppm

Developmental Toxicity: NOAEC: 1,600 ppm

Result: No teratogenic effects, No effects on fertility and early

embryonic development were detected.

Species: Rat

Application Route: Oral

Dose: 0, 400, 800, 1000, 1600 mg/kg Duration of Single Treatment: 14 d

General Toxicity Maternal: NOAEL: 400 mg/kg body weight

## **Tertiary butyl acetate**

Teratogenicity: NOAEL: 1,600 mg/kg body weight Embryo-foetal toxicity: NOAEL: 400 mg/kg body weight

Symptoms: Maternal toxicity Result: No teratogenic effects

Species: Rat

Application Route: Oral

Dose: 0, 400, 800, 1600 mg/kg bw Duration of Single Treatment: 14 d

General Toxicity Maternal: NOAEL: 800 mg/kg body weight Teratogenicity: NOAEL: 16,000 mg/kg body weight Embryo-foetal toxicity: NOAEL: 400 mg/kg body weight

Symptoms: Maternal toxicity Result: No teratogenic effects

Reproductive toxicity - As-

sessment

Animal testing did not show any effects on fertility.

Teratogenicity - Assessment : Did not show teratogenic effects in animal experiments.

#### **Aspiration toxicity**

#### **Components:**

540-88-5:

No aspiration toxicity classification

#### **Further information**

#### **Product:**

Remarks: Solvents may degrease the skin.

#### **SECTION 12. ECOLOGICAL INFORMATION**

#### **Ecotoxicity**

#### **Product:**

Acute aquatic toxicity- As-

sessment

: Harmful to aquatic life.

#### Components:

540-88-5:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 240 mg/l

Exposure time: 96 h
Test Type: semi-static test

Toxicity to daphnia and other

aquatic invertebrates

: EC50 (Daphnia magna (Water flea)): 350 mg/l

Exposure time: 48 h Test Type: static test

Toxicity to algae : EbC50 (Pseudokirchneriella subcapitata (microalgae)): 6.1

## **Tertiary butyl acetate**

mg/l

End point: Biomass Exposure time: 72 h Test Type: static test

#### Persistence and degradability

#### **Components:**

540-88-5:

Biodegradability : Remarks: No data available

#### **Bioaccumulative potential**

#### **Components:**

540-88-5:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-

octanol/water

: log Pow: 1.38

#### Mobility in soil

No data available

#### Other adverse effects

#### **Product:**

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Pro-

tection of Stratospheric Ozone - CAA Section 602 Class I

Substances

Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological infor-

mation

: An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Harmful to aquatic life.

Toxic to aquatic life with long lasting effects.

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

#### **Disposal methods**

Waste from residues : Dispose of in accordance with all applicable local, state and

federal regulations.

For assistance with your waste management needs - including

disposal, recycling and waste stream reduction, contact

Solvents & Petroleum Service at 315-454-4467.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product.

## **Tertiary butyl acetate**

Do not re-use empty containers.

Do not burn, or use a cutting torch on, the empty drum.

#### **SECTION 14. TRANSPORT INFORMATION**

#### **DOT (Department of Transportation)**:

UN1123, BUTYL ACETATES, 3, II

#### IATA (International Air Transport Association):

UN1123, BUTYL ACETATES, 3, II

#### **IMDG (International Maritime Dangerous Goods):**

UN1123, BUTYL ACETATES, 3, II, Flash Point:4 °C(39 °F)

#### **SECTION 15. REGULATORY INFORMATION**

WHMIS Classification : B2: Flammable liquid

#### **EPCRA - Emergency Planning and Community Right-to-Know Act**

#### **CERCLA Reportable Quantity**

Components	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)
Tert-butyl acetate	540-88-5	5000	5000

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Fire Hazard

Immediate (Acute) Health Hazard

SARA 302 : No chemicals in this material are subject to the reporting

requirements of SARA Title III, Section 302.

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

#### **Clean Water Act**

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A: 540-88-5 Tert-butyl acetate

## **Tertiary butyl acetate**

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

#### **US State Regulations**

**Massachusetts Right To Know** 

540-88-5 Tert-butyl acetate 90 - 100 %

Pennsylvania Right To Know

540-88-5 Tert-butyl acetate 90 - 100 % 75-65-0 Tert-butyl alcohol 0.1 - 1 %

**New Jersey Right To Know** 

540-88-5 Tert-butyl acetate 90 - 100 %

California Prop 65 This product does not contain any chemicals known to State

of California to cause cancer, birth defects, or any other re-

productive harm.

#### The components of this product are reported in the following inventories:

TSCA : On TSCA Inventory

DSL : All components of this product are on the Canadian DSL

AICS : On the inventory, or in compliance with the inventory

NZIoC : On the inventory, or in compliance with the inventory

ENCS : On the inventory, or in compliance with the inventory

KECI : On the inventory, or in compliance with the inventory


PICCS : On the inventory, or in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

## **Tertiary butyl acetate**

#### **SECTION16. OTHER INFORMATION**





Special hazard.

#### HMIS III:

HEALTH	1
FLAMMABILITY	3
PHYSICAL HAZARD	0

0 = not significant, 1 =Slight, 2 = Moderate, 3 = High 4 =Extreme, \* = Chronic

The information accumulated is based on the data of which we are aware and is believed to be correct as of the date hereof. Since this information may be applied under conditions beyond our control and with which we may be unfamiliar and since data made become available subsequently to the date hereof, Solvents and Petroleum Service, Inc. does not assume any responsibility for the results of its use. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances.

Key or legend to abbreviations and acronyms used in the safety data sheet			
ACGIH	American Conference of Government Industrial Hygienists	LD50	Lethal Dose 50%
AICS	Australia, Inventory of Chemical Substances	LOAEL	Lowest Observed Adverse Effect Level
DSL	Canada, Domestic Substances List	NFPA	National Fire Protection Agency
NDSL	Canada, Non-Domestic Sub- stances List	NIOSH	National Institute for Occupational Safety & Health
CNS	Central Nervous System	NTP	National Toxicology Program
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemicals
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration
EGEST	EOSCA Generic Exposure Scenario Tool	OSHA	Occupational Safety & Health Administration
EOSCA	European Oilfield Specialty Chemicals Association	PEL	Permissible Exposure Limit
EINECS	European Inventory of Existing Chemical Substances	PICCS	Philippines Inventory of Commercial Chemical Substances

# Safety Data Sheet Tertiary butyl acetate

Version 1.0

MAK	Germany Maximum Concentra- tion Values	PRNT	Presumed Not Toxic
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery Act
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and Reauthorization Act.
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value
IECSC	Inventory of Existing Chemical Substances in China	TWA	Time Weighted Average
ENCS	Japan, Inventory of Existing and New Chemical Substances	TSCA	Toxic Substance Control Act
KECI	Korea, Existing Chemical Inventory	UVCB	Unknown or Variable Composition, Complex Reaction Products, and Biological Materials
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials Information System
LC50		Lethal Conce	ntration 50%