Triethylene Glycol



Industrial Grade CAS No. 112-27-6

SPS provides high quality Industrial Grade TEG for a wide range of industrial applications at a competitive price.

Product Description

Triethylene glycol is a colorless, odorless, organic compound. Its complete miscibility with water and many other organic solvents make its use important in a wide range industrial applications. TEG is primarily used for the drying of natural gas.

Value-Added Benefits

- Guaranteed to Meet/Exceed ASTM Standards
- Competitive Pricing
- Custom Quantity & Delivery Options
- Used Glycol-Waste Pickup

General Applications

Adhesives, Coatings, Emulsifiers, Lubricants, Plasticizers, Polyurethane foams, Solvents, Silicone compounds, Thermoplastics, Unsaturated polyester resins

Specific Applications

- Hygroscopic & Low Volatility
- Gas dehydration/drying

Solvent

- Aromatic and paraffinic hydrocarbon separation
- Cleaning compounds
- Steam-set printing inks

Chemical Intermediate

- Unsaturated polyester resins
- Esters
- Plasticizer for safety-glass, separation membranes and ceramic materials

Call 1-800-315-4467 for a competitive quote. Samples and Certificate of Analysis available upon request.



SOLVENTS & PETROLEUM 1405 Brewerton Road Syracuse, NY 13208

-SERVICE — Phone: 315-454-4467 | Fax: 315-454-8230