

Heptane - Ulach

Product Specification - Version 1 date January 1, 2015

Characteristic	Specification	Test Method
Heptanes, %	Report	Gas Chromatography
Normal Heptane	-	-
Total Aromatics, LV%	-	-
Total Aromatics, ppm	10 max.	Gas Chromatography
Water Content, ppm	1000 max.	KF Titration
Color, Saybolt	+30 min.	ASTM D6045
Doctor	Negative	ASTM D235
Specific Gravity, 15.6/15.6 °C	0.69 - 0.71	ASTM D369
Distillation, °F		
IBP	190.0 min.	ASTM D1078
DP	210.0 max.	
Non-volatile matter, g/100ml	0.001 max.	ASTM D1353
Copper Corrosion, 1 hr @ 100°F	1 max.	ASTM D130
Notes: None		

www.SolventsandPetroleum.com

The preceding data is based on tests and experience, which Solvents and Petroleum Service, Inc. believes reliable, and is supplied for informational purposes only. Solvents and Petroleum Service, Inc. expressly disclaims any liability whatsoever for damage or injury which results from the use of the preceding data and nothing contained herein shall constitute a guarantee, warranty, or representation (including freedom from patent liability) by Solvents and Petroleum Service, Inc. with respect to the data, the product described, or its fitness for use for any specific purpose, even if that purpose is known to Solvents and Petroleum Service, Inc.

For detailed safety and handling information regarding these products, please refer to the respective Solvents and Petroleum Service, Inc. Safety Data Sheets (SDS).