

1. PF	RODUCT AND COMPANY	IDENTIFICATION		
1.1	Product identifiers Product name	N-Methyl-2-pyrrolidone		
	CAS-No.	: 872-50-4		
1.2	Relevant identified use	s of the substance or mixture and uses advised against		
	Identified uses	: Laboratory chemicals, Manufacture of substances		
1.3	Details of the supplier of the safety data sheet			
	Company	: Solvents and Petroleum Service, Inc. 1405 Brewerton Rd. Syracuse, NY 13208		
	Telephone	: 800-315-4467		
	Fax	: 315-454-8230		
1.4	Emergency telephone r	number		
	Emergency Phone #	: Chemtrec 800-424-9300		

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 4), H227 Skin irritation (Category 2), H315 Eye irritation (Category 2A), H319 Reproductive toxicity (Category 1B), H360 Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram

Signal word



-	-
Hazard statement(s)	
H227	Combustible liquid.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H360	May damage fertility or the unborn child.
Precautionary statement(s)	
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and
	understood.

P210	Keep away from heat/sparks/open flames/hot surfaces No smoking.
P261	Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.
P264	Wash skin thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P304 + P340 + P312	IF INHALED: Remove person to fresh air and keep comfortable for
	breathing. Call a POISON CENTER or doctor/ physician if you feel unwell.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308 + P313	IF exposed or concerned: Get medical advice/ attention.
P332 + P313	If skin irritation occurs: Get medical advice/ attention.
P337 + P313	If eye irritation persists: Get medical advice/ attention.
P362	Take off contaminated clothing and wash before reuse.
P370 + P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.
P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P403 + P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/ container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substances Synonyms	: N-Methyl-2-pyrrolidone 1-Methyl-2-pyrrolidone NMP M-PYROL™
Formula	: C ₅ H ₉ NO
Molecular weight	: 99.13 g/mol
CAS-No.	: 872-50-4
EC-No.	: 212-828-1
Index-No.	: 606-021-00-7
Registration number	: 01-2119472430-46-XXXX

Hazardous components

Component	Classification	Concentration
N-methyl-2-pyrrolidone Included in the Candidate List c according to Regulation (EC) No. 1907/2006 (REACH)	of Substances of Very High Conce	ern (SVHC)
	Flam. Liq. 4; Skin Irrit. 2; Eye Irrit. 2A; Repr. 1B; STOT SE 3; H227, H315, H319, H335, H360	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

4. FIRST AID MEASURES

3.1

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labeling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture Carbon oxides, Nitrogen oxides (NOx)

5.3 Advice for firefighters Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

Use water spray to cool unopened containers.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas. For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13). Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal see section 13.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapor or mist. Keep away from sources of ignition - No smoking. Take measures to prevent the buildup of electrostatic charge. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Store under inert gas. Moisture sensitive.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis
N-methyl-2- pyrrolidone	872-50-4	TWA	10.000000 ppm	USA. Workplace Environmental Exposure Levels (WEEL)
	Remarks	Skin		

Biological occupational exposure limits

Component	CAS-No.	Parameters	Value	Biological specimen	Basis
N-methyl-2- pyrrolidone	872-50-4	5-Hydroxy-N- methyl-2- pyrrolidone	100.0000 mg/l	Urine	ACGIH - Biological Exposure Indices (BEI)
	Remarks	End of shift (As	s soon as po	ssible after exposu	re ceases)

Derived No Effect Level (DNEL)

Application Area	Exposure routes	Health effect	Value	
Workers	Skin contact	Acute systemic effects	208mg/kg BW/d	
Workers	Inhalation	Acute systemic effects	80 mg/m3	
Workers	Skin contact	Long-term systemic effects	19.8mg/kg BW/d	
Workers	Inhalation	Long-term systemic effects	40 mg/m3	

Predicted No Effect Concentration (PNEC)

Compartment	Value
Water	5 mg/l
Soil	0.138 mg/kg
Marine water	0.025 mg/kg
Fresh water	0.25 mg/l
Fresh water sediment	0.805 mg/kg
Onsite sewage treatment plant	10 mg/l

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Safety glasses with side-shields conforming to EN166 Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact Material: butyl-rubber Minimum layer thickness: 0.3 mm Break through time: 480 min Material tested: Butoject® (KCL 897 / Aldrich Z677647, Size M)

Splash contact Material: Nature latex/chloroprene Minimum layer thickness: 0.6 mm Break through time: 35 min Material tested: Lapren® (KCL 706 / Aldrich Z677558, Size M)

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an

industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

impervious clothing, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.2

9.1 Information on basic physical and chemical properties

	• •	
a)	Appearance	Form: liquid Color: colorless
b)	Odor	No data available
c)	Odor Threshold	No data available
d)	рН	7.7 - 8
e)	Melting point/freezing point	-23.99 °C (-11.18 °F)
f)	Initial boiling point and boiling range	202 °C (396 °F) at 1,013 hPa (760 mmHg) 81 - 82 °C (178 - 180 °F) at 13 hPa (10 mmHg)
g)	Flash point	91 °C (196 °F) - closed cup
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	No data available
j)	Upper/lower flammability or explosive limits	Upper explosion limit: 9.5 %(V) Lower explosion limit: 1.3 %(V)
k)	Vapor pressure	0.39 - 0.43 hPa (0.29 - 0.32 mmHg) at 20 °C (68 °F) 1.32 hPa (0.99 mmHg) at 40 °C (104 °F)
I)	Vapor density	3.42 - (Air = 1.0)
m)	Relative density	1.028 g/cm3
n)	Water solubility	No data available
o)	Partition coefficient: n- octanol/water	log Pow: -0.46
p)	Auto-ignition temperature	No data available
q)	Decomposition temperature	No data available
r)	Viscosity	No data available
s)	Explosive properties	No data available
t)	Oxidizing properties	No data available
Oth	er safety information	
	Surface tension	40.7 mN/m
	Relative vapor density	3.42 - (Air = 1.0)

10. STABILITY AND REACTIVITY

- 10.1 Reactivity No data available
- **10.2 Chemical stability** Stable under recommended storage conditions.
- **10.3 Possibility of hazardous reactions** No data available
- **10.4 Conditions to avoid** Heat, flames and sparks.
- **10.5** Incompatible materials Strong acids, Strong oxidizing agents, Strong reducing agents

10.6 Hazardous decomposition products Other decomposition products - No data available In the event of fire: see section 5

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - 3,914 mg/kg

LDLO Inhalation - Rat - 4 h - > 5100 ppm

LD50 Dermal - Rabbit - 8,000 mg/kg

No data available

Skin corrosion/irritation Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Serious eye damage/eye irritation

Eyes - Rabbit Result: Eye irritation

Respiratory or skin sensitisation No data available

Germ cell mutagenicity

No data available

Carcinogenicity

- IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.
- NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

Damage to fetus possible

No data available

Specific target organ toxicity - single exposure

Inhalation - May cause respiratory irritation.

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard

No data available

Additional Information

RTECS: UY5790000

prolonged or repeated exposure can cause:, Vomiting, Diarrhea, Abdominal pain, Rats exposed to 1-methyl-2pyrrolidinone at a concentration of 1 mg/L as an aerosol for 10 days showed depletion of hematopoietic cells in the bone marrow and atrophy of the lymphoid tissues of the thymus, spleen, and lymph nodes.

Bone marrow - Irregularities - Based on Human Evidence Bone marrow - Irregularities - Based on Human Evidence

12. ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity to fish	LC50 - other fish - 4,000 mg/l - 96 h
	LC50 - Leuciscus idus (Golden orfe) - > 500 mg/l - 96 h
Toxicity to daphnia and other aquatic invertebrates	EC50 - Daphnia magna (Water flea) - > 1,000 mg/l - 24 h

Toxicity to bacteria LC50 - Bacteria - > 9,000 mg/l

12.2 Persistence and degradability Biodegradability Result: 90 % - Readily biodegradable

12.3 Bioaccumulative potential No data available

12.4 Mobility in soil No data available

12.5 Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product

This combustible material may be burned in a chemical incinerator equipped with an afterburner and scrubber. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

NA-Number: 1993 Class: NONE Packing group: III Proper shipping name: Combustible liquid, n.o.s. (N-methyl-2-pyrrolidone) Reportable Quantity (RQ):

Poison Inhalation Hazard: No

IMDG

Not dangerous goods

Not dangerous goods

15. REGULATORY INFORMATION

SARA 302 Components No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302. SARA 313 Components The following components are subject to reporting levels established by SARA Title III, Section 313: CAS-No. **Revision Date** N-methyl-2-pyrrolidone 872-50-4 2007-07-01 SARA 311/312 Hazards Fire Hazard, Acute Health Hazard, Chronic Health Hazard Massachusetts Right To Know Components CAS-No. **Revision Date** 2007-07-01 N-methyl-2-pyrrolidone 872-50-4 Pennsylvania Right To Know Components CAS-No. Revision Date 872-50-4 2007-07-01 N-methyl-2-pyrrolidone **New Jersey Right To Know Components** CAS-No. **Revision Date** N-methyl-2-pyrrolidone 872-50-4 2007-07-01 California Prop. 65 Components WARNING: This product contains a chemical known to the CAS-No. **Revision Date** State of California to cause birth defects or other reproductive 872-50-4 2009-02-01 harm. N-methyl-2-pyrrolidone

16. OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3.

Eye Irrit.	Eye irritation
Flam. Liq.	Flammable liquids
H227	Combustible liquid.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H360	May damage fertility or the unborn child.
Repr.	Reproductive toxicity
Skin Irrit.	Skin irritation
HMIS Rating	2

Health hazard:	2
Chronic Health Hazard:	*
Flammability:	2
Physical Hazard	0
NFPA Rating	
Health hazard:	2

Fire Hazard:2Reactivity Hazard:0

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Solvents and Petroleum Service, Inc. shall not be held liable for any damage resulting from handling or from contact with the above product.