

1405 Brewerton Road • Syracuse NY 13208 Phone: 315-454-4467 | Fax: 315-454-8230 Toll Free: 1-800-315-4467

www.SolventsandPetroleum.com

Nitric Acid, Semi Grade

Specification	Maximum Limits
Assay (NHO3)	68-70%
Color (APHA)	10
Residue after Ignition	2 ppm
Chloride (CI)	0.08 ppm
Sulfate (SO4)	0.5 ppm
Phosphate (PO4)	0.2 ppm
Heavy Metals (as Pb)	0.1 ppm
Arsenic & Antimony (as As)	0.005 ppm
AL : (AD	0.5
Aluminum (Al)	0.5 ppm
Barium (Ba)	1 ppm
Boron (B)	0.1 ppm
Cadmium (Cd)	0.5 ppm
Calcium (Ca)	0.5ppm
Chromium (Cr)	0.1 ppm
Cobalt (Co)	0.5 ppm
Copper (Cu)	0.05 ppm
Gallium (Ga)	0.1 ppm
Germanium (Ge)	0.1ppm
Gold (Au)	0.5 ppm
Iron (Fe)	0.2 ppm
Lithium (Li)	1 ppm
Magnesium (Mg)	1 ppm
Manganese (Mn)	0.5 ppm
Nickel (Ni)	0.05 ppm
Potassium (K)	1 ppm
Silicon (Si)	1 ppm
Silver (Ag)	0.5 ppm
Sodium (Na)	1 ppm
Strontium (Sr)	1 ppm
Tin (Sn)	1 ppm
Zinc (Zn)	1 ppm

The preceding data is based on tests and experience, which Solvents and Petroleum Service, Inc. believes reliable, and is supplied for informational purposes only. Solvents and Petroleum Service, Inc. expressly dislaims any liability whatsoever for damage or injury which results from the use of the preceding data and nothing contained herein shall constitute a guarantee, warranty, or representation (including freedom from patent liability) by Solvents and Petroleum Service, Inc. with respect to the data, the product described, or its fitnesss for use for any specific purpose, even if that purpose is known to Solvents and Petroleum Service, Inc.

For detailed safety and handling information regarding these products, please refer to the respective Solvents and Petroleum Service, Inc. Safety Data Sheets (SDS).